




Sergé 1% OF 1%


WK01A FABRIC CODE

Screen with a small openness factor to protect even better against heat and glare. Thin and light for more designing possibilities. Very suitable for zip systems.

Can be used both exterior and interior.



108101 grey-white A / B
Widths: 1800, 2500, 2850 mm




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	6.5	32.4	61.1	3.4	2.7	0.7	0.9	2.9	Class 4	Class 4
B	6.5	32.3	61.2	3.4	2.7	0.7	0.9	2.9	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.19	0.53	0.15	0.53	0.10	0.46	0.08	0.28
A Classes	2	0	2	0	3	1	4	2
B Values	0.19	0.53	0.15	0.53	0.10	0.46	0.08	0.28
B Classes	2	0	2	0	3	1	4	2

108108 grey A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	4.8	21.6	73.6	2.2	1.5	0.7	0.9	1.9	Class 4	Class 4
B	4.8	21.6	73.6	2.2	1.5	0.7	0.9	1.9	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.59	0.15	0.59	0.10	0.50	0.08	0.29
A Classes	2	0	2	0	3	0	4	2
B Values	0.20	0.59	0.15	0.59	0.10	0.50	0.08	0.29
B Classes	2	0	2	0	3	0	4	2

108112 grey-sand A / B
Widths: 1800, 2500, 2850 mm




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	6.0	26.6	67.4	2.8	2.3	0.5	0.7	2.4	Class 4	Class 4
B	6.0	26.4	67.6	2.8	2.3	0.5	0.7	2.4	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.57	0.15	0.56	0.10	0.48	0.08	0.29
A Classes	2	0	2	0	3	1	4	2
B Values	0.20	0.57	0.15	0.57	0.10	0.48	0.08	0.29
B Classes	2	0	2	0	3	1	4	2

108118 grey-black A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	2.9	16.0	81.1	1.5	1.1	0.4	0.6	1.3	Class 4	Class 4
B	2.9	16.1	81.1	1.5	1.1	0.4	0.6	1.3	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.62	0.15	0.61	0.09	0.52	0.08	0.29
A Classes	2	0	2	0	4	0	4	2
B Values	0.20	0.62	0.15	0.62	0.09	0.52	0.08	0.29
B Classes	2	0	2	0	4	0	4	2

117101 pearl-white A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	13.6	46.9	39.5	11.9	11.5	0.4	0.8	10.5	Class 2	Class 4
B	13.6	47.2	39.3	11.9	11.5	0.4	0.8	10.5	Class 2	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.46	0.17	0.46	0.12	0.42	0.09	0.27
A Classes	2	1	2	1	3	1	4	2
B Values	0.21	0.46	0.17	0.46	0.12	0.42	0.09	0.27
B Classes	2	1	2	1	3	1	4	2

117108 pearl-grey A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	8.4	31.4	60.2	6.1	5.7	0.4	0.8	5.4	Class 3	Class 4
B	8.4	31.5	60.1	6.1	5.7	0.4	0.8	5.4	Class 3	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.54	0.16	0.54	0.11	0.47	0.09	0.28
A Classes	2	0	2	0	3	1	4	2
B Values	0.20	0.54	0.16	0.54	0.11	0.47	0.09	0.28
B Classes	2	0	2	0	3	1	4	2

117117

pearl A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	12.0	38.9	49.1	10.4	10.0	0.3	0.7	9.2	Class 3	Class 4
B	12.0	38.9	49.1	10.4	10.0	0.3	0.7	9.2	Class 3	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.50	0.18	0.50	0.12	0.44	0.09	0.27
A Classes	2	0	2	0	3	1	4	2
B Values	0.21	0.50	0.18	0.50	0.12	0.44	0.09	0.27
B Classes	2	0	2	0	3	1	4	2

118108

black-grey A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	0.8	10.2	89.0	0.6	0.3	0.3	0.5	0.5	Class 4	Class 4
B	0.8	10.1	89.1	0.6	0.3	0.3	0.5	0.5	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.65	0.14	0.64	0.08	0.53	0.08	0.30
A Classes	2	0	3	0	4	0	4	2
B Values	0.20	0.65	0.14	0.64	0.08	0.53	0.08	0.30
B Classes	2	0	3	0	4	0	4	2

118112

black-sand A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	0.8	14.0	85.2	0.5	0.4	0.1	0.2	0.4	Class 4	Class 4
B	0.8	14.0	85.2	0.5	0.4	0.1	0.2	0.4	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.19	0.63	0.14	0.62	0.08	0.52	0.07	0.30
A Classes	2	0	3	0	4	0	4	2
B Values	0.19	0.63	0.14	0.63	0.08	0.52	0.07	0.30
B Classes	2	0	3	0	4	0	4	2

118118

black A / B
Widths: 1800, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare control	SUV
A	0.4	6.69	92.9	0.3	0.2	0.2	0.3	0.3	Class 4	Class 4
B	0.4	6.69	92.9	0.3	0.2	0.2	0.3	0.3	Class 4	Class 4

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.20	0.67	0.15	0.66	0.08	0.55	0.08	0.30
A Classes	2	0	2	0	4	0	4	2
B Values	0.20	0.67	0.15	0.66	0.08	0.55	0.08	0.30
B Classes	2	0	2	0	4	0	4	2